

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	8 with pam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 07:24
		pam with ((voltage or signal) adj level) and (reference adj (signal or level))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 17:27
		(pam adj (encoder or modulator)) with (voltage or signal) adj level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 17:25
		voltage adj reference adj generator near driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 09:45
		(voltage adj reference adj generator) near driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 06:58
		(voltage adj reference adj generator) with driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 07:04
L4	3	"585749".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 07:04
L5	2	"5585749".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 07:04

L7	170	(reference near voltage) and (current near control) and (voltage near generator) and (shift\$4 near level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 09:47
L8	97	7 and driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 07:24
L9	1	8 and pam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 07:25
L10	3	8 and amplitude adj modulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 07:25
L11	1	8 and pulse adj amplitude adj modulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 07:25
L12	11	(reference near voltage) same (current near control) same (voltage near generator) same (shift\$4 near level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 07:27
L13	1	12 and driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 07:28
L18	8984	voltage adj divider and voltage adj reference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 08:33

L19	35	voltage adj divider and voltage adj reference and pam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 08:35
L20	6	resistive adj voltage adj divider and voltage adj reference and pam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 08:34
L21	618	resistive adj voltage adj divider and voltage adj reference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 08:34
L22	283	equalization adj current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 09:44
L23	1	7 and 22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 09:44
L24	719	voltage adj reference adj generator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 09:45
L25	0	22 and 24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 09:46
L26	14799	current adj mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 09:47

L27	17	7 and 26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 09:47
L28	1	pam and equalization adj current adj control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 10:07
L29	2	pam and (equalization with current with control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 10:07
L30	20	pam and (equalization same current same control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 10:08
L32	2	memory adj bus with reference adj voltage adj level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 12:27
S1	2	"5604468".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 16:55
S2	2	"5798918".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 16:56
S3	2	"6006169".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 16:56
S4	2	"6204785".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 16:56

S5	2	"4748637".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 16:57
S6	2	"5254883".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 16:58
S7	2	"5608755".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 16:58
S8	1	"wo 99 10982"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 16:59
S9	2	"wo 99/10982"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:01
S10	2	"4481625".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:01
S11	2	"5534795".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:02
S12	2	"5534798".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:02
S13	18	"5663663".pn. "5751168".pn. "5757712".pn. "5867010".pn. "5973508".pn. "5986472".pn. "6097215".pn. "6140841".pn. "6160421".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/14 17:03
S14	2	"6215635".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 12:13

S15	1	"09/964911"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 12:18
S16	7	multi adj level adj current adj mode adj driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 19:09
S17	5	"9910982"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 19:30
S18	2	"6094075".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 19:30
S19	2	"6294934".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 19:31
S20	16375	(reference near voltage) and (current near control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 13:37
S21	2504	(reference near voltage) with (current near control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 19:38
S22	1383	(reference adj voltage) with (current adj control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 19:38

S23	62	(reference adj voltage) with (current adj control) with (voltage adj generator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 19:39
S24	1	(reference adj voltage) with (current adj control) with (voltage adj generator) with (shift\$4 adj level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 19:40
S25	3	(reference near voltage) with (current near control) with (voltage near generator) with (shift\$4 near level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 07:18
S26	11	(reference near voltage) same (current near control) same (voltage near generator) same (shift\$4 near level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 19:42
S27	0	(reference near voltage) same (current near control) same (voltage near generator) same (shift\$4 near level) and (three near level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 19:43
S28	11	(reference near voltage) same (current near control) same (voltage near generator) same (shift\$4 near level) same levels	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 19:43
S29	2	"6094075".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 07:49
S30	5608	(reference near voltage) and (current near control) and shift\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 13:38

S31	46	(reference near voltage) with (current near control) with shift\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 14:45
S32	1	(reference near voltage) with (current near control) with shift\$4 and pam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 14:27
S33	33	(reference adj voltage) with (current adj control) with shift\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 14:33
S34	177	(reference adj voltage) same (current adj control) same shift\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 14:35
S35	1	S34 and PAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 14:34
S36	1	((multi adj level) with (reference adj voltage)) same (current adj control) same shift\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 14:36
S37	1	((multi adj level) same (reference adj voltage)) same (current adj control) same shift\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 14:37
S38	1	((multi near level) same (reference adj voltage)) same (current adj control) same shift\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 14:37



S39	1	((multi near level) same (reference near voltage)) same (current adj control) same shift\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 14:37
S40	1	((multi near level) same (reference near voltage)) same (current near control) same shift\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 14:38
S41	343	((reference near voltage)) same (current near control) same shift\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 17:00
S42	2	S41 and multilevel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 14:39
S43	3	S41 and multi adj level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 14:39
S44	9	"60/057400"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 14:48
S45	9	"60/073353"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 14:48
S46	860	375/286	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 16:26

S47	3	S41 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 16:26
S48	266	375/287	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 16:26
S49	0	S41 and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 16:26
S50	1239	375/242	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 16:26
S51	0	S41 and S50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 16:27
S52	228	375/353	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 16:27
S53	0	S41 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 16:27
S54	190	326/60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 16:27

S55	0	S41 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 16:27
S56	685	326/62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 16:28
S57	2	S41 and S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 16:28
S58	598	326/63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 16:29
S59	2	S41 and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 16:29
S60	2477	326/86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 16:29
S61	0	S41 and S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 16:29
S62	692	326/90	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 16:29

S63	0	S41 and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 16:29
S64	1122	326/80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 16:30
S65	1	S41 and S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 16:30
S66	1297	326/82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 16:30
S67	1	S41 and S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 16:32
S68	2652	713/300	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 16:32
S69	1	S41 and S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 16:32
S70	1	((reference near voltage)) same (current near control) same shift\$4 and PAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 17:05

S71	3368404	three near (voltage adj level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 17:06
S72	927	three near (voltage adj level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 17:06
S73	13	three near (voltage adj level) and PAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 17:10
S74	19	four near (voltage adj level) and PAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 17:11
S75	12	("4178480"   "4205203"   "4383313"   "4432031"   "4607345"   "4620294"   "4627047"   "4882586"   "4907222"   "4967195"   "5281756"   "5576695").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/15 17:17
S76	26	pam adj encoder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 17:21
S77	8	pam adj encoder and voltage adj level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 17:22
S78	17	pam adj (encoder or modulator) and voltage adj level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 17:24
S79	1	(pam adj (encoder or modulator)) with ((voltage or signal) adj level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 17:25

S80	152	pam with ((voltage or signal) adj level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 17:26
S81	142	pam with ((voltage or signal) adj level) and reference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 17:27
S82	40	pam with ((voltage or signal) adj level) and (reference adj (signal or level))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 17:27
S83	3	("4250492"   "5019821"   "6295013").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/15 17:37
S84	1821	pulse adj amplitude adj modulation	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/15 17:38
S85	26	S84 and S82	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/15 17:43
S86	64	S84 and (three near level)	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/15 17:43
S87	266	S84 and crosstalk	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 17:52
S88	9	S84 with crosstalk	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 10:06
S89	7	"09/141675"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 18:57

S90	14	voltage adj reference adj driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/16 06:57
-----	----	----------------------------------	---	----	----	------------------